

Punta delgada - 26 - Dezembro - 1904 -

Mas muito prezoso Collega D. Mariz.

Com algum vagar agora me vou referir á tua de 18 corrente, he muito he agradeço

Relativamente á nova especie verso digger-
the o que foram as considerações de Tre-
lease e Gaudoger em epochas differen-
tes, estabelecendo assim a filiação dos
factos, se modo a habilitar-o a uma
boa interpretação, se quizs publicar
a tua diagnose no Bol. de Soc. Bot.
+ Gaudoger - Janeiro 1902 - n.º 902. *Thrinicio*
medicaulis (ou miens especie nouvelle,
c'est certainement un *Thrinicio*, et non
Leuitodon)

+ Trelease - Maio 1903 - n.º 902. I should

UNIVERSITÄT ZÜRICH
BIBLIOTHECA
BOTANICA
2 (1)

not be in the least surprised if you were to prove that it is a hybrid between Leontodon hirtus and Picris felix. I have named it in the herbarium Leontodon (Thrinacia) microdermoides, and should characterize it as follows: Aspect of small L. marroccana. Root perennating. Leaves oblanceolate-spatulate, rather thin, a span long or less, not over an inch wide, acute, loosely beset with stiff hairs shortly forked at end. Scapes leafless, loosely long-hairy, mostly once or twice forked, 10 to 12 in. high, the branches ending in a single head about as large as in L. hirtus. Achenia very rugose, gradually attenuate. Pappus tawny, plumose. A few of the outer achenia mostly with a crown of short broad cross scales.

A plant of somewhat the aspect of *Picris*
(*microkeris*) filii, but with smaller
more hairy heads. Sete-cidades. S. Mi-
guel. Azores. (Trelease, Aug. 30, 1894, n:
491, Carreiro, Aug. 1890, n: 902).

+ Sauvageur. Abril de 1904. 902 a. *Thrin-*
cia nudicaulis Lave! tout-à-fait sem-
blable à mes échantillons de Madère).
902 b. et 980. *Thrinicia Carreiroi*, Sauvageur.
Species nova affinis *T. nudicaulis*
Lave à qua multum differt caulibus
pedalibus rectis nec basi decumben-
tibus inferne foliosis et ramosis
minus setosis, foliis longioribus
dentatis nec runcinatis acutioribus,
pedunculis glabris multo minus bracte-
olatis, involuero sparsè setoso vel
glabro ejus phyllis ad basin mar-
ginato-albidis. Planta memo-

rabilis a *T. nudicaulis* habitu di-
versissima e basi ramosa nec sim-
plicicaulis, capitula eis *Hypochaer-
idis radicatae* fere similia.
Radii lutei, achaenia ut in *T.*
nudicaulis sed pauciora et saepius
abortiva. An hybrida inter
haec et *T. hirtam* Roth? (M.
Gaudoger).

Depois enviada-me a imprimis esta
descriçãõ em um jornal de P. sed-
gada, e a traducçãõ em portu-
guez etc. a que respondi que melhor
iria isto em um jornal botânico;
e lembro-me ter scripto ao Sr.
Julio Henriques que se publi-
casse no Bol. Soc. Brot.

+ Trelease. Maio de 1804. 902a e
902b. *Leontodon microseridoides*

980 e 981 - *Lentodon micradenoides*
with smoother involucre as in *L.*
nudicaulis.

Com este n.º 981 deve ter havido
engano, salvo traça de plan-
tas, ora aqui tem o que tudo
recebido dos dois botânicos estrangeiros
sobre a nova espécie. Mas terá algum
cuidado a sua descrição no Bol.
de Soc. Bot.? Pela data das
suas notas verá qual foi o pri-
meiro que fez a determinação de
espécie. Onde poderei eu
ver uma descrição de *Thrinaco*
nudicaulis Lamour.? Pode-me o favor
d'um esclarecimento.


Para as outras espécies envio eu
falha à parte a sua determinação, e a
do Trelease e do Sandoger para mais fácil

[Faint, illegible handwriting, likely bleed-through from the reverse side of the page. The text is mirrored and difficult to decipher.]



[The page contains several lines of extremely faint, illegible handwriting, likely bleed-through from the reverse side of the paper. The text is mirrored across the horizontal fold.]

	Dr. Mariz	Prof. Trelease	Gaudoger
931 A	<i>Rapistrum Linnaeanum</i>	<i>Rap. rugosum</i>	<i>Rap. orientale</i>
931 B	" "	" "	" "
959	<i>Silene maritima</i>	<i>Sil. inflata</i>	<i>Sil. inflata.</i>
959 A	" "	" "	" "
246 A	<i>Cerastium azoricum</i>	<i>Cer. triviale</i>	<i>Cer. triviale</i>
948 A	<i>Sagina ciliata</i>	<i>Sag. procumbens</i>	<i>Sag. procumbens.</i>
950	<i>Geranium dissectum</i>	<i>Ger. sp. form. of G. diffusum.</i> <i>of Salvia aurifera.</i>	<i>Ger. Carolinicum. Schaffé des jardins</i>
975	<i>Cedestina corymbosa</i>	<i>Ageratum conyzoides</i>	<i>Rupatorium adenosporum</i>
976	<i>Vittadina triloba</i>	<i>Erigeron mucronatus (min)</i>	<i>Erig. mucronatus</i>
979	<i>Hypochaeris glabra. B. laisdeaniana.</i>	<i>Hyp. glabra</i>	<i>Hyp. neapolitana. Moursau p. Açores</i>
981	<i>Hypochaeris radicata. B. heterocarpa.</i>	<i>Lentodon microsoides</i>	<i>Hyp. neapolitana</i>
999	<i>Callisia repens.</i>	<i>Leberina pendula</i>	<i>Tradescantia multiflora</i>
517 A	<i>Holcus mollis</i>	<i>Holcus lanatus</i>	<i>Holcus rigidus</i>
875 C	" "	" rigidus	" "
881 A	<i>Brachypodium pinnatum</i>	<i>Brachyp. sylvaticum</i>	<i>Brachyp. sylvaticum</i>
881 B	" "	" "	" "
881 C	" "	" "	" "
1013	<i>Aylenium Lasiopterus</i>	<i>Gynnosgramme Tota</i>	<i>Gynnosgramme Tota</i>
1013 A	" "	" "	" "



902 A. *Thrinicia nudicaulis*, Lowe! tout-à fait semblable à mes échantillons de Madère.

902 B. et 980. *Thrinicia Carreiroi*. Gaudoger, ^{species nova.}
~~specie nouvelle.~~ Affinis *T. nudicauli*, Lowe à qua multum differt caulibus pedalis rectis nec basi decumbentibus inferne foliosis et ramosis minus setosis, foliis longioribus dentatis nec runcinatis acutiusculis, pedunculis glabris multo minus bracteolatis, involuero sparse setoso vel glabro ejus phyllis ad basin marginato-albidis.

Planta memorabilis a *T. nudicauli* habitu diversissima, e basi ramosa nec simplicicaulis, capitula eis *Hypochaeridis radicatae* fere similia. Radii lutei, achaenia ut in *T. nudicauli* sed pauciora et saepius abortiva.

An hybrida inter hanc et *T. hirtam* Roth.? (M. Gaudoger.)

