



*Lingua cervina folijs acutis, et ad  
oras summitatum pulverulentis.*



*Lingua Cervina longissimis et angustissimis  
folijs.*

*Fr.C.P.m.b.r.d.*



*Phyllitis scandens, Cauliculis squammosis.*

*Fr. Carolus Plumier Minimus Botanicus Regius delineat.*



*Adiantum Saxosum, Floridum.*

*Fr. Carolus Plumier Minimus Botanicus Regius delin.*



*Adiantum nigro simile, albissimo pulvere conspersum.*

Fr.C.P.m.b.r.d.




*Adiantum nigrum  
ramosum et bacciferum.*

*Fr. C. P. m. b. r. d.*



*Adiantum ramosum, folijs Trapezijis, dentatis.*



*Adiantum nigrum, ramosum, pulverulentum et falcatum.*






*Adiantum nigrum, pinnulis  
lonchitidis serratis minus.*

*Fr. C. P. m. b. r. d.*



*Adiantum ramosum, radiatum.*

Fr. C. Plumier Mini. B.R.D



*Adiantum muscosum, Lichenis petræi facie.*




*Adiantum minus, folijs in summitate retusis.*




*Polytrichum saxatile, Dentatum.*





*Colocasia hederacea, sterilis, latifolia.*

Fr. C.P. m. b. r. d.



*Colocasia hederacea, sterilis et laciniata.*

Fr. Carolus Plumier Minim. Botan. Regius delineav.



*Colocasia hederacea, sterilis, angustifolia*



*Colocasia hederacea, sterilis,  
minor, folio cordato.*

Fr. C. P. m. b. r. d.






*Arum hederaceum, amplis  
folijs perforatis.*

*Fr. Carolus Plumier Minimus Botanic. Regius delin.*




*Arum hederaceum amplis folijs perforatis.*

*Fr. C.P. m.b.r. d.*




*Arum hederaceum, triphyllum  
et auritum.*

Fr. C. P. m. b. r. d.



*Arum hederaceum folijs Bissectis ridigis et sulcatis.*



*Arum arborescens, Sagittariae folijs.*


Fr. C. Plumier Mini. B.R.D.

I. Lud. Roller sculp.




*Arum caulescens, Canna  
indica folijs.*

*Fr. C. P. m. b. r. d.*



*Arum folijs rigidis, angustis et acuminatis.*

Fr. C. P. m. b. r. d.



Fr. C.P.m.b.r.d.


*Dracontium amplis folijs, cordatis,  
radice nodosa rubra.*





*Dracontium hederaceum, poliphyllum*

*Fr. Carolus Plumier Minimus Botanicus Regius delineavit.*



Fr. C.P. m. b. r. d.

*Dracontium hederaceum,*  
*polyphyllum.*



*Saururus hederaceus,*  
*cauliculis maculosis major.*

*Fr. Carolus Plumier Minimus Botanicus Regius delineavit.*




*Saururus hederaceus, Cauliculis maculosis minor*

Fr. C.P.m.b.r. del.



*Saururus hederaceus, triphyllus folio rotundo.*




*Saururus repens, folio  
orbiculari, nummulariæ facie.*



*Saururus humilis folio carnoso subrotundo.*


Fr. C.P.m. b. r. d.



*Saururus alius humilis, folio carnososo, et acuminato.*


Fr. C. P. m. b. r. d.






*Saururus minor procumbens*  
*Botrytis folio crasso cordato.*

Fr. C.P.m.b.r.d.




*Saururus arborescens, folijs  
amplis, cordatis non umbilicatis.*

Fr. C.P. m. b. r. d.




*Saururus arborescens* folijs amplis rotundis et umbilicatis.

Fr. C.P. m. b. r. d.



*Saururus Botryitis major,*  
*arborescens, folijs plantagineis.*

Fr. C. P. m. b. r. d.



*Saururus frutescens, folijs plantagineis, fructu breviori.*

*Fr. C. P. m. h. r. del.*



*Saururus arborescens, fructu adunco.*

Fr. C. P. m. b. r. d.



*Saururus repens* Lanceolatus,  
ad nodos villosus.

Fr. C. P. M. b. r. del.